



# **ALERT SERVICE BULLETIN INDEX**

## **NOTE**

THIS INDEX IS A LIST OF ALERT SERVICE BULLETINS ISSUED. THIS INDEX DOES NOT IDENTIFY WHICH ALERT BULLETINS ARE ACTIVE OR INACTIVE.

THE ATA/CHAP. REF. COLUMN INDICATES THE MAINTENANCE AND/OR OVERHAUL MANUAL CHAPTER/S AFFECTED BY THE RESPECTIVE BULLETIN; OR, THE BULLETIN IS APPLICABLE TO A SERVICE INSTRUCTION (S.I.).

## **PROPRIETARY RIGHTS NOTICE**

These data are proprietary to Bell Helicopter Textron, Inc. Disclosure, reproduction, or use of these data for any purpose other than helicopter operation is forbidden without prior written authorization from Bell Helicopter Textron, Inc.

Newly released Alert Service Bulletins can be viewed and printed by accessing our Service Directives website at [www.bellcustomer.com](http://www.bellcustomer.com). This publication supersedes BHT-430-ASB INDEX dated 1 January 2007 in its entirety.

COPYRIGHT NOTICE  
COPYRIGHT 2008  
BELL® HELICOPTER TEXTRON INC.  
AND BELL HELICOPTER TEXTRON  
CANADA LTD.  
ALL RIGHTS RESERVED

**Bell Helicopter**  
A Textron Company

POST OFFICE BOX 482 • FORT WORTH, TEXAS 76101

**1 JANUARY 2008**



**430 ALERT SERVICE BULLETIN INDEX**

STATUS CODE

A = Active

A- ( ) = Active — (Additional Information)

└────────────────── P = Incorporated in Parts Catalog  
 R = Referenced in Maintenance Manual

I = Inactive

I- ( ) = Inactive — (Reason)

└────────────────── I = Incorporated in Maintenance Manual  
 P = Incorporated in Parts Catalog  
 S = Superseded (New Bulletin Number)  
 R = Referenced in Maintenance Manual

<b>NUMBER</b>	<b>ISSUE</b>	<b>DATE</b>	<b>STATUS</b>	<b>ATA/CHAP REF.</b>	<b>SUBJECT</b>
430-97-1	Basic	5-21-97			Engine, Allison 250-C40B Operational Restrictions and Replacement of Power Take-Off Gears, P/N 23056617
430-97-2	Basic	7-11-97			Model 430 Temporary Airspeed Restriction
430-97-3	Basic	9-17-97			FADEC EUC Fail and Retractable Landing Gear Indicating Systems
430-97-4	Basic	12-19-97			Temporary Airspeed Restriction, Removal of, Following Damper Yoke Set, P/N 430-310-100-101 and P/N 430-310-107-101, Removal From Service
430-98-5	Basic	6-12-98			Vertical Fin Assembly, Installation Inspection and Modification
430-98-6	Basic	6-12-98			Replacement of Lateral Control Tube Assembly, P/N 430-001-018- 101 and Rework of Forward Fairing, P/N 430-061-822-101
430-98-7	Basic	9-9-98			Pilot and Copilot Static System Modifications
430-98-8	Basic	12-31-98			Damper Blade Set, P/N 430-310- 104-105, Introduction of

## BHT-430-ASB INDEX

### 430 ALERT SERVICE BULLETIN INDEX

NUMBER	ISSUE	DATE	STATUS	ATA/CHAP	
				REF.	SUBJECT
430-99-9	Basic	3-3-99			Swashplate Duplex Bearing Inspection
430-99-10	Basic	12-9-99			Electrical Power Distribution System, Modification of
430-99-11	Basic	5-7-99			Auto Pilot Resolver Installation, Improvement of
430-99-12	Basic	12-16-99			Tail Rotor (T/R) Pitch Change Bearings P/N 222-312-753-103, Inspection of; And Tail Rotor Blade Attaching Hardware, Replacement of
430-99-13	Basic	12-13-99			Fuel Quantity Indicating System Calibration
430-99-14	Basic	12-17-99		04	Chapter 4 – Airworthiness Limitations Schedule, Changes To
430-00-15	Basic Rev A	2-9-00 7-13-01			Rolls-Royce 250-C40B Engine, Inspection of the Self-Sealing Magnetic Chip Detectors
430-00-16	Basic	6-21-00			Instrument Panel Cooling, Improvement
430-00-17	Basic	5-19-00			Hydraulic Actuator Support P/N 222-040-125-001, Inspection of
430-00-18	Basic Rev A	8-11-00 11-13-00			Rolls-Royce 250-C40B Engine, Replacement of Compressor Scroll P/N 23066737 and P/N 230722848
430-01-19	Basic Rev A	2-22-01 1-24-02			Electrical Systems, Improvements
430-01-20	Basic	1-26-01			Swashplate Duplex Bearing P/N 430-310-450-101, Removal from Service
430-01-21	Basic	2-7-01			Upper Fuel Enclosure, Right Side, Addition of Drain Provision
430-01-22	Basic	4-30-01			Temporary Ambient Air Temperature Limitation, Removal of

**430 ALERT SERVICE BULLETIN INDEX**

<b>NUMBER</b>	<b>ISSUE</b>	<b>DATE</b>	<b>STATUS</b>	<b>ATA/CHAP REF.</b>	<b>SUBJECT</b>
430-01-23	Basic	7-20-01			Drive Hub P/N 430-010-410-101, Inspection and Recall of Specific Serial Number Part
430-02-24	Basic	2-12-02			Isolation of FADEC-ECU Power Supplies
430-02-25	Basic	4-9-02			Fuel System Check and Relief Valve P/N 222-366-687-101, Replacement of
430-02-26	Basic	5-2-02			Wheel Gear Hydraulic Tube Assembly P/N 430-080-459-101 and Wheel Brake Hydraulic Tube Assembly 430-080-460-101 and 430-080-467-101, Replacement of
430-03-27	Basic	10-14-03			Electrical Power Feeders, Modification of
430-03-28	Basic	3-3-03			Airspeed Limits, Revision of
430-03-29	Basic	11-11-03			Rolls-Royce 250-C40B Engine, Inspection of 4th Stage Turbine Wheels P/N 23066744
430-04-30	Basic Rev C	8-9-04 2-16-06			Tail Rotor Counterweight Bellcrank P/N 222-012-727-003, Removal from Service
430-04-31	Basic Rev B	8-27-04 8-28-06			Tail Rotor Blade P/N 222-016-001-123 and -131, Inspection of
430-04-32	Basic Rev B	10-12-04 3-15-06			Tail Rotor Counterweight Bellcrank P/N 222-012-727-105, Inspection of
430-05-33	Basic	2-16-05			Introduction of Retirement Life for the Servo Actuator to Actuator Support Bolts P/N 50-047C8-31
430-05-34	Basic	6-10-05			New Transient Limit and Power Turbine RPM ( $N_p$ ) Steady State Operation Avoidance, Introduction of
430-05-35	Basic	6-21-05			AFCS Air Data Computer, Modification of, and VNE Overspeed Warning Computer, Airspeed Indicator and VNE Converter, Replacement of

## BHT-430-ASB INDEX

### 430 ALERT SERVICE BULLETIN INDEX

NUMBER	ISSUE	DATE	STATUS	ATA/CHAP	
				REF.	SUBJECT
430-05-36	Basic	7-11-05			Engine, Fuel and Control — Hydromechanical (HMU) Unit Procedures for Checking Nozzle Screen for Contamination
430-06-37	Basic	3-13-06			Revised Engine Power Assurance Check Procedures and Revised Run-in Test Procedure for Overhauled Transmission, Introduction of
430-06-38	Basic	10-11-06			Engine, Turbine Assembly — Power Turbine Outer Shaft
430-07-39	Basic	1-9-07			Tail Rotor Pitch Change Mechanism, Revised Rigging Procedures
430-07-40	Basic	3-28-07			Disc Assembly P/N 36300-1 and 37855-1 and C048354-1, Inspection of
430-07-41	Basic Rev C	9-11-07 9-20-07			Tail Rotor Blade Assembly, Inspection of

**NOTICE**

The following blank pages are provided for entry of additional bulletins when distributed. These additional bulletins will be included in this index at next revision.

<b>NUMBER</b>	<b>ISSUE</b>	<b>DATE</b>	<b>STATUS</b>	<b>ATA/CHAP REF.</b>	<b>SUBJECT</b>
---------------	--------------	-------------	---------------	--------------------------	----------------

## BHT-430-ASB INDEX

### NOTICE

The following blank pages are provided for entry of additional bulletins when distributed. These additional bulletins will be included in this index at next revision.

NUMBER	ISSUE	DATE	STATUS	ATA/CHAP REF.	SUBJECT
--------	-------	------	--------	------------------	---------